PATENT

IN THE CLAIMS:

Please amend claims 30-33, as shown below in the detailed listing of all claims which are, or were, in this application:

Claims 1-15 (canceled).

16. (Previously presented) The method of claim 34, further comprising controlling the viscosity of the silica sol wherefrom the fibre is spun, wherein a viscosity of the silica sol is from about 1 000 to below 100 000 mPas, such that fibres derived from sols having low viscosity during the spinning process degrade more slowly than fibres derived from sols prepared at a higher spinning viscosity.

17. (Canceled).

18. (Previously presented) The method according to claim 16 wherein the viscosity of the silica sol is from about 1 000 to about 50 000 mPas.

PATENT

19. (Original) The method according to claim 18 wherein the viscosity of the spinning sol is from about 2 000 to about 15 000 mPas.

Claims 20-23 (Canceled)

- 24. (Previously presented) A delivery device comprising the controllably biodegradable fibre according to claim 30, wherein the fibre contains a biologically active agent.
- 25. (Original) The delivery device according to claim 24, wherein said biologically active agent is a medicine, a protein, a hormone, a living or dead cell, a bacteria, a virus or a part thereof.
- 26. (Original) The delivery device according to claim 25, wherein said biologically active agent is a medicine.
- 27. (Previously presented) A pharmaceutical preparation comprising a delivery device according to claim 24.

PATENT

- 28. (Previously presented) A method for administering a biologically active agent to a human or animal, wherein said method comprises implanting, injecting or mucosally attaching a delivery device, wherein said delivery device comprises a controllably biodegradable fibre according to claim 30 and wherein the fibre comprises a biologically active agent.
- 29. (Original) The method according to claim 28, wherein the biologically active agent is administered into a mammal.
- 30. (Currently amended) A controllably biodegradable silica fibre spun from silica sol, a biodegradation rate of said fibre being adjusted by controlling the starting point of the spinning process by a viscosity of the silica sol wherefrom the fibre is spun, said fibre having a solubility in simulated body fluid of 0.2 to 20 wt-%/h.
- 31. (Currently amended) A controllably biodegradable silica fibre according to claim 30, the solubility of the fibre in simulated body fluid being 0.2 to 8.5 wt-%/h.

PATENT

- 32. (Currently amended) A controllably biodegradable silica fibre spun from a silica sol, a biodegradation rate of the fibre being adjusted by controlling the viscosity of the spinning sol wherefrom the fibre is spun, said fibre having a solubility in simulated body fluid of 0.2 to 20 wt-%/h.
- 33. (Currently amended) A controllably biodegradable silica fibre according to claim 32, the solubility of the fibre in simulated body fluid being 0.2 to 8.5 wt-%/h.
- 34. (Previously presented) A method for preparing a biodegradable silica fibre, comprising

correlating a desired biodegradability of a silica fibre with a viscosity of a silica sol,

preparing a silica sol, and

spinning a fibre from said silica sol,

wherein the spinning process is begun when the viscosity of the silica sol reaches a value correlating to said desired biodegradability of the silica fiber.